### 🌔 pulsara

### 01) Patients Screen

- This is what you will use daily
- View your patients under My Patients

### Incidents Screen

- This screen groups patient channels under one Incident
- Offers additional Incident functionality and workflows
- To open, tap the 03 Navigation Menu, then tap 04 Incidents

### Identify and Work within Correct Incident

- *Participating* shows Incidents you have joined
- 6) Tap incident to open
- Join an Incident shows other Incidents in your area
- Nearby Incidents
- 9) Tap **Join** to join an Incident





### 01) Patients Screen

- This is what you will use daily
- View your patients under *My Patients*





### 01) Patients Screen

- This is what you will use daily
- View your patients under My Patients

- This screen groups patient channels under one Incident
- Offers additional Incident functionality and workflows





### 01) Patients Screen

- This is what you will use daily
- View your patients under My Patients

- This screen groups patient channels under one Incident
- Offers additional Incident functionality and workflows
- To open, tap the 03 Navigation Menu





### 01) Patients Screen

- This is what you will use daily
- View your patients under My Patients

- This screen groups patient channels under one Incident
- Offers additional Incident functionality and workflows
- To open, tap the 03 Navigation Menu, then tap 04 Incidents



### 🌔 pulsara

### 01) Patients Screen

- This is what you will use daily
- View your patients under My Patients

- This screen groups patient channels under one Incident
- Offers additional Incident functionality and workflows
- To open, tap the 03 Navigation Menu, then tap 04 Incidents



### 🌔 pulsara

### 01) Patients Screen

- This is what you will use daily
- View your patients under My Patients

### 02) Incidents Screen

- This screen groups patient channels under one Incident
- Offers additional Incident functionality and workflows
- To open, tap the 03 Navigation Menu, then tap 04 Incidents

### Identify and Work within Correct Incident



### 🌔 pulsara

### 01) Patients Screen

- This is what you will use daily
- View your patients under My Patients

### 02 Incidents Screen

05

- This screen groups patient channels under one Incident
- Offers additional Incident functionality and workflows
- To open, tap the 03 Navigation Menu, then tap 04 Incidents

### Identify and Work within Correct Incident

Participating shows Incidents you have joined



**Recently Viewed Patients** 

### 🔘 pulsara

#### **Patients Screen** 01

- This is what you will use daily
- View your patients under *My Patients* •

#### **Incidents Screen** 02

- This screen groups patient channels under one ٠ Incident
- Offers additional Incident functionality and workflows •
- To open, tap the **03** Navigation Menu, then • tap 04 Incidents

### Identify and Work within Correct Incident

- Participating shows Incidents you have joined
- Tap incident to open



0

( Incidents

**Recently Viewed Patients** 

04

### 🌔 pulsara

### 01) Patients Screen

- This is what you will use daily
- View your patients under My Patients

### 02 Incidents Screen

- This screen groups patient channels under one Incident
- Offers additional Incident functionality and workflows
- To open, tap the 03 Navigation Menu, then tap 04 Incidents

### Identify and Work within Correct Incident

- **05)** *Participating* shows Incidents you have joined
- Map incident to open
- *Join an Incident* shows other Incidents in your area
- 08 Nearby Incidents



### 🌔 pulsara

### 01) Patients Screen

- This is what you will use daily
- View your patients under My Patients

### Incidents Screen

- This screen groups patient channels under one Incident
- Offers additional Incident functionality and workflows
- To open, tap the 03 Navigation Menu, then tap 04 Incidents

### Identify and Work within Correct Incident

- *Participating* shows Incidents you have joined
- 6) Tap incident to open
- Join an Incident shows other Incidents in your area
- Nearby Incidents
- 9) Tap **Join** to join an Incident





## <sup>01)</sup> Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident
- 2) Select Test vs Real
- <sup>33</sup> Set Location
  - Defaults to current, Tap Map to adjust
- 绝 Set Radius
  - Organizations can Join and Add Patients
- 05 Name Incident

## **Set Default Patient Channels**

- Monopole Card / Require Condition
- 07) Patient Type

- Onfigurable ID
  - US | Statewide Wristband or State Specific
  - All joining organizations "inherit" for interoperability



× Cancel	New Incident	Save 🗸	09
Is this a test in (Also called a drill, r	cident? mock, training, or table top)	Select A	02
Location Coor Latitude: 35.6 Longitude: -97.5	dinates 42650040117495 57102341663222	🛐 Map	03
Radius (mi)	1 5 10	25 50	04
Incident #			
Incident Name		<b>A</b>	05
🔽 Needs Triaç	ge 🦱		
🔽 Require Pa	tient Condition 06		
Start Patient T	ype As		
Select a Patie	nt Type	▲	07
Configurable I	D Туре 🕕		
US   Statewid	e Wristband		08
Notes			



### 01) Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident





### 01) Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident





### <sup>01)</sup> Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident

### OSCIENCE SERVICE SE





02

03

### <sup>01)</sup> Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident
- OP Select Test vs Real

## OBJ Set Location

• Defaults to current, Tap Map to adjust





Save J

Real

25

10

📲 Map

50

02

03

04

### <sup>01</sup>) Create New Incident

- If not already participating or nearby •
- Tap<sup>01</sup> + Incident
- **Select Test vs Real** 02
- **Set Location** 03
  - Defaults to current, Tap Map to adjust •
- 04 **Set Radius** 
  - Organizations can Join and Add Patients ٠





Save J

Real

25

10

📲 Map

50

02

03

04

05

### <sup>01</sup>) Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident
- **Select Test vs Real** 02
- **Set Location** 03
  - Defaults to current, Tap Map to adjust
- 04 **Set Radius** 
  - Organizations can Join and Add Patients •
- Name Incident 05





### <sup>01)</sup> Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident
- OBJ Set Location
  - Defaults to current, Tap Map to adjust
- 🔮 Set Radius
  - Organizations can Join and Add Patients
- <sup>05</sup> Name Incident

## **Set Default Patient Channels**

OF Triage Card / Require Condition



× Cancel	New Incident	Save 🗸	
Is this a test inc (Also called a drill, m	ident? ock, training, or table top)	Real	02
Location Coord Latitude: 35.642 Longitude: -97.57	inates 2650040117495 1102341663222	🕼 Map	03
Radius (mi)	1 5 10	25 50	04
Incident #			· ·
Incident Name	Active shooter at gro	cery store	05
Veeds Triage	,		<b>1</b>
Require Pati	ent Condition	,	
Start Patient Ty	pe As		
Select a Patien	t Type	<b>A</b>	
Configurable ID	Type i		
US   Statewide	Wristband		
Notes			
<b>C</b>			



Save J

Real

06

📲 Map

50

02

03

04

05

07

### <sup>01</sup>) Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident
- **Select Test vs Real** 02
- **Set Location** 03
  - Defaults to current, Tap Map to adjust
- 04 **Set Radius** 
  - Organizations can Join and Add Patients •
- 05 **Name Incident**

## Set Default Patient Channels

Triage Card / Require Condition Patient Type 07





### <sup>01)</sup> Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident
- 2) Select Test vs Real
- <sup>33</sup> Set Location
  - Defaults to current, Tap Map to adjust
- 绝 Set Radius
  - Organizations can Join and Add Patients
- <sup>35</sup> Name Incident

## **Set Default Patient Channels**

- Monopole Card / Require Condition
- 07) Patient Type
- Onfigurable ID
  - US | Statewide Wristband or State Specific
  - All joining organizations "inherit" for interoperability



×Cancel	New Incident	Save 🗸	
Is this a test inc (Also called a drill, me	ident? ock, training, or table top)	Real	02
Location Coord Latitude: 35.642 Longitude: -97.57	inates 2650040117495 1102341663222	💕 Map	03
Radius (mi)	1 5 10	25 50	04
Incident #			
Incident Name	Active shooter at gro	ocery store	05
Needs Triage	, _		
🗹 Require Pati	ent Condition 06		
Start Patient Typ	pe As		
Trauma		<u> </u>	07
Configurable ID	Туре 🕕	_	
US   Statewide	Wristband	<u> </u>	08
Notes			



### 01) Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident
- OBJ Set Location
  - Defaults to current, Tap Map to adjust
- 🔮 Set Radius
  - Organizations can Join and Add Patients
- 05 Name Incident

## **Set Default Patient Channels**

- Monopole Card / Require Condition
- Patient Type

- Onfigurable ID
  - US | Statewide Wristband or State Specific
  - All joining organizations "inherit" for interoperability







### <sup>01)</sup> Create New Incident

- If not already participating or nearby
- Tap<sup>01</sup> + Incident
- OBJ Set Location
  - Defaults to current, Tap Map to adjust
- 🔮 Set Radius
  - Organizations can Join and Add Patients
- 05 Name Incident

## **Set Default Patient Channels**

- Monopole Card / Require Condition
- 07) Patient Type

- Onfigurable ID
  - US | Statewide Wristband or State Specific
  - All joining organizations "inherit" for interoperability





## 01) Tap Entities

- **02** View Participating Entities
  - And their privileges
- 03) Tap + Entity

- Output Select Entity(s)
- <sup>05)</sup> Grant / Edit Privileges
  - View Incident Summary
  - View All Incident Patients (and Patient Data)





### 0) Tap Entities





## •• Tap Entities

- **2** View Participating Entities
  - And their privileges





## • Tap Entities

- **2** View Participating Entities
  - And their privileges

🤒 Tap + Entity







### • Tap Entities

- View Participating Entities
  - And their privileges
- 🤒 Tap + Entity

Select Entity(s)







### • Tap Entities

- View Participating Entities
  - And their privileges
- 🤒 Tap + Entity

Select Entity(s)







#### **Tap Entities** 01)

- **View Participating Entities** 02
  - And their privileges •
- Tap + Entity 03
- Select Entity(s) 04

<back active="" at="" grocery="" shooter="" store<="" th=""><th>*Cancel Active shooter at grocery store Nex</th><th>¢†</th></back>	*Cancel Active shooter at grocery store Nex	¢†
Incident 01 🚓 Entities 🕼 Edit	Searching near: Oklahoma City, OK Change Search Area	a
35.642650, -97.571023	Q Filter results by Name or City = Filter	
Patients II. Summary = Filter	JW Pulsara Reunification Center Oklahoma City, OK (2.2 mi from incident) Facility	
Q. Filter by Name or ID There are no patients.	04) ✓ JW Pulsara Main Oklahoma City, OK (2.9 mi from incident) Facility ✓ Resources called in. Able to take 20 Red Patients ■ Level 1 Trauma, CSC, STEMI	
<back active="" at="" grocery="" shooter="" store<br="">Participating Entities</back>	<ul> <li>JW Pulsara Rural Edmond, OK (4.9 mi from incident) Facility</li> <li>▲ CT DOWN. No Stroke or serious trauma.</li> <li>■ Stroke Ready</li> </ul>	
JW Pulsara EMS Owner		
UW Pulsara FD Can view summary		
03 + ENTITY		



e Search Area

= Filter

ncident)

incident) 9 20

is trauma.

#### **Tap Entities** 01)

- **View Participating Entities** 02
  - And their privileges •
- Tap + Entity 03
- Select Entity(s) 04

<back active="" s<="" th=""><th>hooter at grocery st Active Incident</th><th>ore 🎓</th><th>× Cancel</th><th>Active shooter Add</th><th>at grocery Entity</th><th>store</th></back>	hooter at grocery st Active Incident	ore 🎓	× Cancel	Active shooter Add	at grocery Entity	store
Incident	01 🗶 Entities	C Edit	Searchir Oklahon	ng near: na City, OK	Change	Searc
35.642650, -97.571	023		Q Filter	results by Name	or City	≡F
Patients	II, Summary			JW Pulsara Reu Oklahoma City, OK Facility	inification ( (2.2 mi from	Center Inciden
Q Filter by Nam	e or ID ere are no patients.		04) ☑ □	JW Pulsara Mai Oklahoma City, OK Facility Resources called in Red Patients Level 1 Trauma, CS	n (2.9 mi from n. Able to tak SC, STEMI	inciden e 20
<back active="" shot<="" td=""><td>oter at grocery store cipating Entities</td><td></td><td></td><td>JW Pulsara Rur Edmond, OK (4.9 n Facility CT DOWN. No Str Stroke Ready</td><td>al ni from incide oke or seriou:</td><td>nt) s traumi</td></back>	oter at grocery store cipating Entities			JW Pulsara Rur Edmond, OK (4.9 n Facility CT DOWN. No Str Stroke Ready	al ni from incide oke or seriou:	nt) s traumi
JW Pulsara EMS Owner						
02 JW Pulsara FD Can view summary		>				
	03	- ENTITY				



### 🔟 Tap Entities

- View Participating Entities
  - And their privileges
- 🕺 Tap + Entity
- 9 Select Entity(s)
- **05)** Grant / Edit Privileges
  - View Incident Summary
  - View All Incident Patients (and Patient Data)





### 🔟 Tap Entities

- View Participating Entities
  - And their privileges
- 🕺 Tap + Entity
- 9 Select Entity(s)
- Orant / Edit Privileges
  - View Incident Summary
  - View All Incident Patients (and Patient Data)





### 🌔 pulsara

### 1) Apply and Scan Wristband

- Scan wristband to add a patient
- Adding patients by tapping NEW increases the risk of a duplicate

### 2) Set Triage Condition (Color)

### **03** Add Patient Demographics

- Scan driver's license (DL), or enter manually
- Rapid: Unknown name, estimated Age, Gender

### 04) Take Photos (Optional)

• Face, injury, DL, belongings, family member, etc.

### **05** Chief Complaint (Optional)

• Use voice-to-text to describe major injury, vitals, intervention

### <sup>06</sup> Create Patient

 If you Select Destination prior to hitting Create, you can immediately alert the receiving facility





### 01) Apply and Scan Wristband

- Scan wristband to add a patient
- Adding patients by tapping *NEW* increases the risk of a duplicate

 • Back
 Active shooter at grocery store
 Active Incident
 Active Incident
 Incincincident
 Incident
 Incident



### OP Apply and Scan Wristband

- Scan wristband to add a patient
- Adding patients by tapping NEW increases the risk of a duplicate

### **O2** Set Triage Condition (Color)





### OP Apply and Scan Wristband

- Scan wristband to add a patient
- Adding patients by tapping NEW increases the risk of a duplicate

## **O2** Set Triage Condition (Color)

- <sup>03</sup> Add Patient Demographics
  - Scan driver's license (DL), or enter manually
  - Rapid: Unknown name, estimated Age, Gender

Back Active sl	hooter at grocery st Active Incident	tore 🏩	× Cancel	New Patient	
	🚜 Entities	C Edit	Patient		(D) DL Scan
35.642650, -97.571	023		Record ID	•	
Patients	II. Summary		US   Statewide   PTNEXC2503	Wristband	8
Q Filter by Nam	e or ID		Name		
or Filter by Hall	0.10	_	Unknown		🔽 Unknown
Th	ere are no patients.		Unknown		🔽 Unknown
	01	SCAN	Date of Birth Month Day MM / DD /	103 1111 Set /	Age
			20	Years Months	Days
			Gender		
			Female	Male	Unknown
Cancel	New Patient			×	
riage / Incident			Audio	Images	ECGs
Condition			Patient Type		
Green Ye	llow Red	Black	Trauma		



### OP Apply and Scan Wristband

- Scan wristband to add a patient
- Adding patients by tapping NEW increases the risk of a duplicate

## **O2** Set Triage Condition (Color)

## <sup>03</sup> Add Patient Demographics

- Scan driver's license (DL), or enter manually
- Rapid: Unknown name, estimated Age, Gender

### 04) Take Photos (Optional)

Face, injury, DL, belongings, family member, etc.



### 🌔 pulsara

## OP Apply and Scan Wristband

- Scan wristband to add a patient
- Adding patients by tapping NEW increases the risk of a duplicate

## Set Triage Condition (Color)

## <sup>03)</sup> Add Patient Demographics

- Scan driver's license (DL), or enter manually
- Rapid: Unknown name, estimated Age, Gender

## 04) Take Photos (Optional)

Face, injury, DL, belongings, family member, etc.

## 05 Chief Complaint (Optional)

 Use voice-to-text to describe major injury, vitals, intervention

	KBack Active shoote	r at grocery st	tore 🏠	× Cancel	New Patient		Chief Complaint 05	
	Incident	e Incident	C Edit	Patient		(D) DL Scan	Gunshot wound to abdomen. Pressure 7 120.	0
	35.642650, -97.571023			Record ID			Hanging one unit whole blood	
		II. Summary		US   Statewide V PTNFXC2503	Wristband	<b>a</b>	Transport to	
	Q. Filter by Name or ID	)		Name			Select Destination	
				Unknown		Unknown		
	There are	e no patients.		Unknown		Unknown		
,		01	D SCAN	Date of Birth Month Day MM / DD /	,, <mark>03</mark> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	at Age	CREATE	
ler			NEW	Age 20	Years Mont	hs Days		
				Gender				
				Female	Male	Unknown		
oto	×Cancel New	Patient						
elc.	Tiese (lesident			Audio	Images	ECGs		
				Patient Type	04			
01	Condition Vallow	Bed	Black					
02		neu	Cidex	Trauma				

### 🔘 pulsara

#### **Apply and Scan Wristband** 01

- Scan wristband to add a patient
- Adding patients by tapping **NEW** increases the risk of a duplicate

## Set Triage Condition (Color)

#### 03 **Add Patient Demographics**

- Scan driver's license (DL), or enter manually
- Rapid: Unknown name, estimated Age, Gender

#### Take Photos (Optional) 04

Face, injury, DL, belongings, family member, etc.

#### Chief Complaint (Optional) 05

Use voice-to-text to describe major injury, vitals, intervention

## **Create Patient**

If you **Select Destination** prior to hitting **Create**, you can immediately alert the receiving facility

Patient DL Scan 🚢 Entities 🛛 🖉 Edit Record ID 35.642650, -97.571023 US | Statewide Wristband Summarv = Filter 0 PTNFXC2503 Name Q. Filter by Name or ID Unknown There are no patients. Unknown 03 Date of Birth 01 SCAN Set Age \*A NEW Age 20 Days Gender Unknown Femak  $\sim$ 

Active shooter at grocery store

× Cancel

New Patient

Images

04)

ECGs



#### \* Cancel New Patient Audio riage / Incident Patient Type Condition Black Trauma

### 🌔 pulsara

## 01) Apply and Scan Wristband

- Scan wristband to add a patient
- Adding patients by tapping NEW increases the risk of a duplicate
- **Set Triage Condition** (Color)

## Add Patient Demographics

- Scan driver's license (DL), or enter manually
- Rapid: *Unknown* name, estimated *Age*, *Gender*

## 04) Take Photos (Optional)

• Face, injury, DL, belongings, family member, etc.

## **05** Chief Complaint (Optional)

• Use voice-to-text to describe major injury, vitals, intervention

## 6 Create Patient

 If you Select Destination prior to hitting Create, you can immediately alert the receiving facility

Patient DL Scan 🚢 Entities 🛛 🖉 Edit Record ID 35.642650, -97.571023 US | Statewide Wristband Summarv = Filter [0]PTNFXC2503 Name Q. Filter by Name or ID Unknown There are no patients. Unknown 03 Date of Birth 01 SCAN Set Age 🛀 NEW Age 20 Days Gender Unknown Femak  $\sim$ 



New Patient

Images

04)

Audio

Patient Type

Trauma

ECGs

× Cancel





Active shooter at grocery store

### 🌔 pulsara

## OP Apply and Scan Wristband

- Scan wristband to add a patient
- Adding patients by tapping NEW increases the risk of a duplicate

## Set Triage Condition (Color)

## OBJ Add Patient Demographics

- Scan driver's license (DL), or enter manually
- Rapid: Unknown name, estimated Age, Gender

## 04) Take Photos (Optional)

Face, injury, DL, belongings, family member, etc.

## 05 Chief Complaint (Optional)

• Use voice-to-text to describe major injury, vitals, intervention

## 6 Create Patient

• If you **Select Destination** prior to hitting **Create**, you can immediately alert the receiving facility

	<back active="" shoc<="" th=""><th>oter at grocery st ctive Incident</th><th>ore 🏩</th><th>× Cancel</th><th>New Patient</th><th></th><th></th></back>	oter at grocery st ctive Incident	ore 🏩	× Cancel	New Patient		
		Rentities	C Edit	Patient	[	(D) DL Scan	Gunst 120.
ncreases	35.642650, -97.571023			Record ID		_	Hangi
	Patients	II. Summary		US   Statewide W PTNFXC2503	ristband	X	Transp
r)	Q. Filter by Name o	r ID		Name Unknown			Selec
cs	There	are no patients.		Unknown	<b>@</b>		
r manually		01 (	D SCAN	Month Day W MM / DD / Y	mar Set /	Age	
Age, Gender			NEW	Age	Years Months	Days	
				Gender Female	Male	Unknown	
member etc	Cancel Ne	w Patient			~		_
y member, etc.	Triage / Incident			♦ Audio	Images	ECGs	Г
00	Condition		Disale	Patient Type			





06

07

08

09

### 01) Scan Wristband

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

### 02 Destination already set

- Displays assigned receiving facility
- 04) Able to Change Destination if appropriate

### Set Transport Destination

<sup>36)</sup> Transport

05

- D7 Select Destination
- 08) Select Hospital
- 09 Alert





### 01) Scan Wristband

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create





### 01) Scan Wristband

02

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

Destination already set





### 01) Scan Wristband

02

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

### Destination already set

Displays assigned receiving facility





### 01) Scan Wristband

02

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

### **Destination already set**

- Displays assigned receiving facility
- Able to Change Destination if appropriate



### 🍥 pulsara'

### OD Scan Wristband

02

05

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

### Destination already set

- Displays assigned receiving facility
- 4) Able to **Change Destination** if appropriate

## Set Transport Destination

<back act<="" th=""><th>ive shooter Active</th><th>at groo</th><th>ery st</th><th>ore /</th><th>¢,</th></back>	ive shooter Active	at groo	ery st	ore /	¢,
Incident		<b>*</b> E	ntities	Ø E	dit
35.642650, -9	7.571023				
Patients		II. Sum	mary	는 Fil	ter
Q Filter by	Name or ID				
On Scene Yellow	(Unknown 20 Years - M US   Statewi	Name) ale de Wristb	and: PTN	IFXC2	>
On Scene Red	<b>(Unknown</b> 20 Years US   Statewi	Name) de Wristb	and: PTN	IFXC2	>
On Scene Red	(Unknown 20 Years - M US   Statewi	Name) ale de Wristb	and: PTN	IFXC2	>
				📜 SCAN	0
				🖆 NEW	
02 Des	tinatior	n alre	adv	set	
Requests					
Con	sult		Hand	ioff	
Transport From	EMS -	то • <b>О</b> ли	/ Pulsar	a Main	03
5W Pulsara	EMS	Char	nge Des	tination	04
Jun 16, 2024	18:16				



### 🍥 pulsara'

## 01) Scan Wristband

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

### Destination already set

- Displays assigned receiving facility
- Able to Change Destination if appropriate

## Set Transport Destination

5) Transport

02

05



Set Trai	nsport Des	tination	
uests			
ransport	Consult	Handoff	0
	set fra uests ransport	uests ransport Consult	uests ransport Consult Handoff

### 🍥 pulsara'

### 01) Scan Wristband

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

### Destination already set

- Displays assigned receiving facility
- Able to Change Destination if appropriate

## Set Transport Destination

6 Transport

02

05

7) Select Destination





### 🍥 pulsara

## OD Scan Wristband

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

## **Transport Destination**

## Destination already set

- Displays assigned receiving facility
- 99) Able to **Change Destination** if appropriate

## Set Transport Destination

6 Transport

02

05

7) Select Destination





### 01) Scan Wristband

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

### Destination already set

- Displays assigned receiving facility
- Able to Change Destination if appropriate

## Set Transport Destination

6) Transport

02

05

7) Select Destination



### 🍥 pulsara

## OD Scan Wristband

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

## **Transport Destination**

## Destination already set

- Displays assigned receiving facility
- 99) Able to **Change Destination** if appropriate

## Set Transport Destination

6 Transport

02

05

7) Select Destination





### 01) Scan Wristband

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

### Destination already set

- Displays assigned receiving facility
- Able to Change Destination if appropriate

## Set Transport Destination

6 Transport

02

05

7 Select Destination



### 🍥 pulsara

## 01) Scan Wristband

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

### Destination already set

- Displays assigned receiving facility
- Able to Change Destination if appropriate

## Set Transport Destination

6) Transport

02

05

- Ø Select Destination
- Select Hospital



### 🍥 pulsara

## OD Scan Wristband

- If recognized, patient channel will open
- If not recognized, you will be prompted to Create

### **Transport Destination**

## Destination already set

- Displays assigned receiving facility
- Able to Change Destination if appropriate

## Set Transport Destination

6 Transport

02

05

- 7 Select Destination
- Select Hospital
- 🤌 Alert





### 01) Manage Entities

- Others in region can See, Join, and Add Patients
- Only able to see their patients unless granted additional privileges by Incident Owner
- Separate tutorial will review in detail

### 62) Edit Incident

- 03) Edit details
- <sup>4</sup> Change Owning Entity
- 5 Stop Incident





### 01) Manage Entities

- Others in region can See, Join, and Add Patients
- Only able to see their patients unless granted additional privileges by Incident Owner
- Separate tutorial will review in detail





### 01) Manage Entities

- Others in region can See, Join, and Add Patients
- Only able to see their patients unless granted additional privileges by Incident Owner
- Separate tutorial will review in detail

### <sup>02)</sup> Edit Incident





### 01) Manage Entities

- Others in region can See, Join, and Add Patients
- Only able to see their patients unless granted additional privileges by Incident Owner
- Separate tutorial will review in detail

### 62) Edit Incident

<sup>33</sup> Edit details





### 01) Manage Entities

- Others in region can See, Join, and Add Patients
- Only able to see their patients unless granted additional privileges by Incident Owner
- Separate tutorial will review in detail

### 62) Edit Incident

- 3 Edit details
- Change Owning Entity





### 01) Manage Entities

- Others in region can See, Join, and Add Patients
- Only able to see their patients unless granted additional privileges by Incident Owner
- Separate tutorial will review in detail

### 62) Edit Incident

- 03) Edit details
- <sup>4</sup> Change Owning Entity
- 5 Stop Incident

